

RECORD

7530-222-3525
FEDERAL SUPPLY SERVICE
(GPO)





Field No.	Species	Date	Position	Sex Data	Age	Weight & Fat Condition	Misc. Data	Prep.
2718	<i>Sula sula</i>	15 March 1967	offshore - Palmyra Island	Gonads not found	SA. Unk	? Light fat	M	SKIN
2719	Pterodroma alba	15 March	01° 13' S 158° 56' W	Ovary 4mm light fat. Ovary 12x5	A ♀	262.0gms fat light	M	SKIN
2720	<i>Sterna fuscata</i>	16 March	?	Testes 2mm	Ad ♀	163.9gms	CN	SKIN
2721	<i>Oceanodroma leucorhoa</i>	16 March	?		♂	45.2gms fat light	M	SKIN
2722	<i>Phaethon lepturus</i>	6 April, 1967	09° 17' S 163° 35' W	L. Testis 12x5mm	Ad	309.3gms fat light	M	SKIN
2723	"	"	09° 02' S 163° 06' W	ovary minute Teste minute	Sub Adult ♂	214.5gms no fat	CN	SKIN
2724	<i>Oceanodroma leucorhoa</i>	4 April, 1967	06° 24' S 157° 32' W	Heavy molt on body Ovary 6mm	♀	39.4gms light fat	M	SKIN
2725	<i>Bulweria bulwerii</i>	5 April, 1967	07° 46' S 160° 18' W	Covered Brood Patch Ovary 5mm	A ♀	75.6gms Medium Fat	M	SKIN
2726	<i>Puffinus pacificus</i>	6 April, 1967	?		♀	333.5gms	M	SKIN
2727	<i>Frigata ariel</i>	1 April, 1967	offshore - Malden Island			983.6gms		SKIN
2728	<i>Frigata minor</i>	1 April, 1967	offshore - Malden Island		♀	1070.8gms	M	SKIN
2729	<i>Sula sula</i>	8 April, 1967	13° 52' S 169° 58' W	General body, neck & head Ovary 6mm brood patch bare ovary 12x5mm largest ovum 1mm	♀	873.8gms Medium fat	M	SKIN
2730	<i>Sterna fuscata</i>	7 April, 1967	12° 09' S 167° 47' W	Ovary 10x4 Ova 2mm Brood patch Bare	Ad ♀	160.1gms fat light	CN	SKIN
2731	"	7 April, 1967	12° 4' S 167° 43' W	L. Testis 13x7mm No brood patch	Ad ♀	182.7gms	M	SKIN
2732	"	"	11° 57' S 167° 31' W	L. Testis 2x1mm, dark brood patch unfeathering ovary 23x9mm largest ovum 19x6mm No brood patch	Ad ♂	216.0gms fat heavy	CN	SKIN
2733	<i>Pterodroma alba</i>	"	11° 51' S 167° 27' W	L. Testis 2x3mm	Ad ♂	309.7gms fat light	M	SKIN
2734	<i>Puffinus pacificus</i>	"	12° 03' S 167° 42' W	Ovary 6mm Molting Neck, body & head Teste minute (2mm)	Ad ♀	292.4gms fat mod.	CN	SKIN
2735	"	7 April, 1967	12° 01' S 167° 41' W	Ovary 10x4 Ova 2mm Brood Patch Uncovering	♂	399.2gms fat mod	M	SKIN
2736	"	"	11° 57' S 167° 31' W	Ovary 16mm	Ad ♀	411.0gms Fat light	M	SKIN
2737	"	"	11° 53' S 167° 29' W	Brood Patch Bare Testes 10x5mm (Light)	Ad ♂	363.0gms Light fat	M	SKIN
2738	"	"	11° 44' S 167° 27' W	Brood Patch Bare ovary 22x8mm L. ovum 15mm	Adult ♀	368.8gms	CN	SKIN
2739	"	"	11° 45' S 167° 37' W	Ovary 13mm No brood patch	♀	391.9gms Light fat	M	SKIN
2740	<i>Sterna fuscata</i>	16 April 1967	00° 21' N 175° 15' W (1500)	L. Testis 1x.5mm No brood patch ovary minute	Adult ♂	194.8 - heavy fat	M	FLAT SKIN
2741	"	16 April 1967	00° 21' N 175° 15' W (1500)	No brood patch L. Testis 1mm Brood patch bare ovary 13x7mm largest ovum 3mm	Adult ♀	227.4 - heavy fat	CN	FLAT SKIN
2742	"	"	00° 35' N 175° 37' W		Adult ♀	170.0gms	M	SKIN
2743	<i>Oceanodroma leucorhoa</i>	"	01° 27' S 176° 31' W		Ad ♂	36.4gms fat light	CN	SKIN
2744	"	"	01° 27' S 176° 34' W		♀	41.9gms fat light	M	SKIN
2745	"	17 April, 1967	00° 08' N 176° 34' W		♂	43.5gms fat light	CN	SKIN
2746	<i>Sterna fuscata</i>	21 April, 1967	00° 10' S 175° 41' W		Ad. ♀	212.7gms fat mod.	M	SKIN

Field No	Species	Date	Position	Sex Data	Age	Weight & Fat Cond.	Misc. Data	Alcoholic	Prep.
2747	Sterna fuscata	21 April, 1967	00° 12' S 175° 41' W	No brood patch ovary 7x5 mm largest ovum 1 mm	Ad.	172.1 gms	CN	Alcoholic	Thompson, F.C. #93
2748	Oceanodroma leucorhoa	"	00° 18' N 175° 35' W	No brood patch L. Testis 10x6 mm	Ad ♀	43.2 gms fat light	M	SKIN	F. Smith #256
2749	Sterna fuscata		offshore Howland Island		Ad ♂	176.9 gms fat mod.	CN	S.	F. Smith #258
2750	" "		offshore Howland Island		Ad	191.2 gms	CN	Alcoholic	Thompson, F.C. #92
2751	Phaethon rubricauda	24 April, 1967	04° 33' N 172° 31' W	Unknown brood patch refeathered ovary 13x8 mm largest ovum 1 mm	Sub-Adult	758.2 gms	M	skin	D.L. Stadel 705
2752	Sterna fuscata	22 April, 1967	01° 01' N 176° 45' W	No brood patch ovary 10x8 mm largest ovum 1 mm	Ad ♀	200.4 gms fat mod	CN	SKIN	F. Smith #263
2753	" "	"	01° 01' N 176° 45' W	Ovary 10x4 mm	Ad ♀	181.6 gms fat light	M	SKIN	F. Smith #261
2754	Puffinus pacificus	24 April, 1967	04° 57' N 172° 43' W	Teste 12x7 mm	Ad ♀	415.0 gms	CN	SKIN	D.L. Stadel 684
2755	" "	7 April, 1967	11° 57' S 167° 31' W	Brood Patch Uncovering	Ad ♂	393.5 gms	M	SKIN	D.L. Stadel 685
2756	" "	24 April, 1967	04° 51' N 172° 43' W	Teste 2 mm black	♂	386.0 gms light fat	M.	SKIN	D.L. Stadel 695
2757	" "	25 April, 1967	07° 30' N 170° 26' W	ovary minute ? badly shot up		353.0 gms fat mod	CN	S.	D.L. Stadel 685
2758	" "	24 April, 1967	05° 30' N 172° 40' W	Brood patch unfeathering L. Testis 15x8 mm	Ad ♂	314.8 gms fat mod	M	SKIN	D.L. Stadel 678
2759	Sula dactylatra		?			1647.3 gms	CN	S.	T.J. Lewis 260
2760	" "	25 April, 1967	06° 19' N 171° 29' W	Possibly female?		1520 gms		skin	D.L. Stadel 741
2761	" "	25 April, 1967	06° 19' N 171° 29' W		SA. Unknown	1555 gms light fat	M	SKIN	D.L. Stadel 719
2762	" "	24 April, 1967	04° 57' N 172° 36' W	Possibly female?	Unknown	1820 gms		SKIN	D.L. Stadel 740
2763	" "	25 April, 1967	06° 19' N 171° 26' W		SA. Unknown	1563 gms light fat	M	SKIN	D.L. Stadel 720

FWS 953-21638
Blue Streamer

FWS 568-70066
Blue Str.









